

# Package ‘pmetar’

March 4, 2021

**Type** Package

**Title** Processing METAR Weather Reports

**Version** 0.3.1

**Maintainer** Pawel Cwiek <prc.altodato@gmail.com>

**Description** Allows to download current and historical METAR weather reports extract and parse basic parameters and present main weather information. Current reports are downloaded from Aviation Weather Center <<https://www.aviationweather.gov/metar>> and historical reports from Iowa Environmental Mesonet web page of Iowa State University ASOS-AWOS-METAR <<http://mesonet.agron.iastate.edu/AWOS/>>.

**License** GPL (>= 3)

**URL** <https://github.com/prcwiek/pmetar>

**BugReports** <https://github.com/prcwiek/pmetar/issues>

**Depends** R (>= 3.5.0), utils, stats

**Imports** dplyr, httr, lubridate, magrittr, RCurl, tidyr, stringr

**Suggests** knitr, rmarkdown, testthat, tibble

**VignetteBuilder** knitr

**LazyData** true

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Pawel Cwiek [aut, cre],  
David Megginson [ctb] (Author of data set with airports list  
<https://ourairports.com/data/>),  
Greg Thompson [ctb] (Author of data set with airports list  
<https://www.aviationweather.gov/docs/metar/stations.txt>)

**Repository** CRAN

**Date/Publication** 2021-03-03 23:20:06 UTC

**R topics documented:**

metarWXcodes . . . . .	2
metar_airport . . . . .	3
metar_cloud_coverage . . . . .	3
metar_day . . . . .	4
metar_decode . . . . .	4
metar_dew_point . . . . .	6
metar_dir . . . . .	7
metar_get . . . . .	7
metar_get_historical . . . . .	8
metar_gust . . . . .	9
metar_hour . . . . .	10
metar_iata_icao . . . . .	10
metar_location . . . . .	11
metar_pressure . . . . .	12
metar_rwy_visibility . . . . .	13
metar_speed . . . . .	13
metar_temp . . . . .	14
metar_time_zone . . . . .	15
metar_visibility . . . . .	15
metar_windshear . . . . .	16
metar_wx_codes . . . . .	17
mst . . . . .	17
ourairports . . . . .	18
pmetar . . . . .	18

<b>Index</b>	<b>19</b>
--------------	-----------

---

metarWXcodes	<i>METAR WX weather conditions codes</i>
--------------	--

---

**Description**

A dataset containing the explanations for METAR WX weather conditions codes. The variables are as follows:

**Format**

A data frame with 39 rows and 3 variables

**Details**

- Type; type of the codes
- Abbreviation; the codes which are included in METAR reports
- Meaning; description of the codes

**References**

[https://en.wikipedia.org/wiki/METAR#METAR\\_WX\\_codes](https://en.wikipedia.org/wiki/METAR#METAR_WX_codes)

---

metar\_airport      *Get airport ICAO, International Civil Aviation Organization, code.*

---

**Description**

Extract an airport ICAO code from METAR weather report.

**Usage**

```
metar_airport(x)
```

**Arguments**

x                      character vector; METAR weather report or reports.

**Value**

a character vector with an airport ICAO code.

**Examples**

```
metar_airport("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_airport("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_airport("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar\_cloud\_coverage      *Get cloud coverage information.*

---

**Description**

Extract and parse cloud coverage information from METAR weather report.

**Usage**

```
metar_cloud_coverage(x)
```

**Arguments**

x                      character vector; a METAR weather report or reports.

**Value**

a character vector with cloud coverage information.

**Examples**

```
metar_cloud_coverage("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_cloud_coverage("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_cloud_coverage("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
metar_cloud_coverage("KEWR 011451Z 26015KT 10SM FEW030 FEW045 BKN065 04/M07 A2977")
```

---

metar_day	<i>Get day of month.</i>
-----------	--------------------------

---

**Description**

Extract a day of a month from METAR weather report.

**Usage**

```
metar_day(x)
```

**Arguments**

x                    character vector; a METAR weather report or reports.

**Value**

a numeric vector with a day of a month.

**Examples**

```
metar_day("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_day("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_day("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar_decode	<i>Decode METAR report.</i>
--------------	-----------------------------

---

**Description**

Extract and parse information from a single METAR weather report or several reports.

**Usage**

```
metar_decode(x, metric = TRUE, altimeter = FALSE)
```

**Arguments**

x	character vector; a single METAR weather report or historical METAR weather reports.
metric	logical; if TRUE wind speeds returned in m/s, distances in meters. If FALSE, wind speeds returned in knots and distances in miles.
altimeter	logical; if FALSE pressures returned in hPa, if TRUE in mmHg

**Details**

Decoded METAR weather report consists of:

- Remark: Don't use for flight planning or navigation!
- Airport ICAO
- Day of Month
- Hour (HH:mm)
- Time zone
- Wind speed
- Wind speed unit (m/s or kn)
- Gust
- Gust unit (m/s or kn)
- Wind shear
- Wind direction (degrees)
- Temperature (Celsius degrees)
- Dew point (Celsius degrees)
- Pressure (hPa)
- Pressure unit (hPa or mmHg)
- Visibility
- Visibility unit (m or miles)
- Cloud coverage
- Weather conditions information from WX codes
- Runway visibility (m or feet)
- Airport Name
- Longitude
- Latitude
- Elevation
- Decode Date
- Original METAR text

**Value**

a tibble with decoded METAR weather report or reports.

**Examples**

```
metar_decode("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_decode("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180",
  altimeter = TRUE, metric = FALSE)
metar_decode("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
metar_decode("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005", altimeter = TRUE)
metar_decode("CYWG 172000Z 30015G25KT 3/4SM R36/4000FT/D -SN M05/M08 A2992")
```

---

metar_dew_point	<i>Get dew point temperature.</i>
-----------------	-----------------------------------

---

**Description**

Extracts a dew point temperature value from a METAR weather report or reports.

**Usage**

```
metar_dew_point(x)
```

**Arguments**

x                      character vector; a METAR weather report or reports.

**Value**

a numeric vector with a dew point temperature in Celsius degrees.

**Examples**

```
metar_dew_point("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_dew_point("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_dew_point("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
metar_dew_point("METAR KEWR 010851Z 27010KT 10SM FEW030 BKN070 BKN100 BKN210 04/M03 A2969")
```

---

metar_dir	<i>Get wind direction.</i>
-----------	----------------------------

---

**Description**

Extract a wind direction value from METAR weather report.

**Usage**

```
metar_dir(x, numeric_only = FALSE)
```

**Arguments**

x	character vector; a METAR weather report or reports.
numeric_only	logical; the default value is FALSE and information about variability will be included. If TRUE only a numeric value of direction will be returned.

**Value**

a numeric vector with a wind direction in degrees.

**Examples**

```
metar_dir("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_dir("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180",
numeric_only = TRUE)
metar_dir("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar_get	<i>Get a current METAR report for an airport.</i>
-----------	---

---

**Description**

A current METAR weather report is downloaded from the web page of NOAA National Weather Service <https://aviationweather.gov/metar/> based on an airport four letters ICAO code, International Civil Aviation Organization, or three letters IATA code, International Air Transport Association.

**Usage**

```
metar_get(airport = "EPWA")
```

**Arguments**

airport	character; ICAO or an IATA airport code.
---------	--

**Value**

a character vector with a current METAR weather report.

**Examples**

```
metar_get("EPWA")
metar_get("CYUL")
metar_get("MAD")
metar_get("WAW")
```

---

metar\_get\_historical *Get historical METAR reports.*

---

**Description**

Download a set of historical METAR weather reports. The default source is the Iowa Environmental Mesonet web page of Iowa State University ASOS-AWOS-METAR

<https://mesonet.agron.iastate.edu/AWOS/>

The secondary source of METAR reports is Weather Information Service provided by Ogimet <https://www.ogimet.com/>. However for this source the requested period is limited to 31 days.

METAR reports are available from the year 2005.

**Usage**

```
metar_get_historical(
  airport = "EPWA",
  start_date = "2020-01-01",
  end_date = "2020-01-10",
  from = "iastate"
)
```

**Arguments**

airport	character; ICAO or IATA airport code.
start_date	character; start date in the format YYYY-MM-DD.
end_date	character; end date in the format YYYY-MM-DD.
from	character; selection of online METAR database, the default value is "iastate" downloading METAR reports from Iowa Environmental Mesonet ASOS-AWOS-METAR <a href="https://mesonet.agron.iastate.edu/AWOS/">https://mesonet.agron.iastate.edu/AWOS/</a> . Setting the parameter from to "ogimet" allows to use Weather Information Service provided by Ogimet <a href="https://www.ogimet.com/">https://www.ogimet.com/</a> .

**Value**

a data frame character vectors with historical METAR weather report.

**Examples**

```
metar_get_historical("EPWA", start_date = "2017-11-20", end_date = "2017-11-25")
metar_get_historical("MAD", start_date = "2015-06-01", end_date = "2015-06-02",
  from = "iastate")
metar_get_historical("CYUL", start_date = "2016-07-01", end_date = "2016-07-05",
  from = "ogimet")
```

---

metar_gust	<i>Get gust speed.</i>
------------	------------------------

---

**Description**

Extract a gust speed from METAR weather report.

**Usage**

```
metar_gust(x, metric = TRUE)
```

**Arguments**

x	Input character vector; a METAR weather report or reports.
metric	For the default metric = TRUE a returned gust wind speed is in m/s. If it's FALSE, in knots.

**Value**

a numeric vector with a gust speed in m/s or in knots.

**Examples**

```
metar_gust("METAR EPWA 141200Z 30011G22KT 270V340 9999 -SHRA SCT007 BKN015CB 18/17 Q1011")
metar_gust("CYUL 101900Z 27015G25KT 15SM DRSN SCT028 BKN090 OVC110 M04/M10 A2973 RMK")
metar_gust("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar_hour	<i>Get hour and minutes.</i>
------------	------------------------------

---

**Description**

Extract and parse hour and minutes from METAR weather report.

**Usage**

```
metar_hour(x)
```

**Arguments**

x character; a METAR weather report or reports.

**Value**

a character vector with the METAR time in the format HH:mm.

**Examples**

```
metar_hour("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_hour("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_hour("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar_iata_icao	<i>Convert between IATA (International Air Transport Association) airport code to ICAO (International Civil Aviation Organization) airport code or vice versa.</i>
-----------------	--

---

**Description**

Convert between IATA (International Air Transport Association) airport code to ICAO (International Civil Aviation Organization) airport code or vice versa.

**Usage**

```
metar_iata_icao(code = "WAW")
```

**Arguments**

code character vector; an airport ICAO four letters code or an IATA three letters code.

**Value**

a character vector with an IATA code an ICAO input code or an ICAO code an IATA input code.

## Examples

```
metar_iata_icao("EPWA")
metar_iata_icao("CYUL")
metar_iata_icao("LEMD")
metar_iata_icao("WAW")
metar_iata_icao("FRA")
metar_iata_icao("KRK")
```

---

metar_location	<i>Get approximated airport location.</i>
----------------	---

---

## Description

Find approximated latitude, longitude and elevation of an airport according to IATA, International Air Transport Association, or ICAO, International Civil Aviation Organization, airport code. Two source of information about airports are used. First the function search in the list of airports available at <https://ourairports.com/data/airports.csv> created by David Megginson. If an airport cannot be found there, the second list of airports is searched, from <https://www.aviationweather.gov/docs/metar/stations.txt> prepared by Greg Thompson from National Weather Service NCAR/RAP.

## Usage

```
metar_location(x = "EPWA")
```

## Arguments

x character vector; an airport ICAO four letters code or an IATA three letters code.

## Value

a tibble with columns with an airport information as below:

- ICAO code
- IATA Code
- Airport name
- Longitude, in degress
- Latitude, in degress
- Elevation, above see elevel in meters
- Source of information

**Examples**

```
metar_location("EPWA")
metar_location("CYUL")
metar_location("LEMD")
metar_location("NCRK")
metar_location("WAW")
metar_location("FRA")
```

---

metar_pressure	<i>Get atmospheric pressure.</i>
----------------	----------------------------------

---

**Description**

Extract and parse an air pressure value from METAR weather report.

**Usage**

```
metar_pressure(x, altimeter = FALSE)
```

**Arguments**

x	character vector; a METAR weather report or reports.
altimeter	boolean; if FALSE, the default value, a pressure is returned in hPa, if TRUE a pressure is returned in inHg (inch of mercury).

**Value**

a numeric vector with air pressure in inHg or hPa.

**Examples**

```
metar_pressure("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_pressure("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005", altimeter = TRUE)
metar_pressure("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025 NOSIG= NOSIG=")
```

---

metar\_rwy\_visibility    *Get runway(s) visibility.*

---

**Description**

Function extracts runway(s) visibility value(s) from METAR weather report.

**Usage**

```
metar_rwy_visibility(x, metric = TRUE)
```

**Arguments**

x	Input character vector
metric	logical; if TRUE, the default value, runway(s) visibility is returned in meters, if FALSE then in feet.

**Value**

A numeric vector. A visibility in m/s or feet.

**Examples**

```
metar_rwy_visibility("EBBR 040220Z VRB01KT 0150 R25L/1200N R02/P1500 07/06 Q1017")
metar_rwy_visibility("EBBR 040220Z VRB01KT 0150 R25R/0600FT R02/P1500 07/06 Q1017")
metar_rwy_visibility("EDDF 220520Z 26003KT 0500 R25R/0400N R18/0650V1100N FZFG")
metar_rwy_visibility("CYWG 172000Z 30015G25KT 3/4SM R36/4000FT/D -SN M05/M08 A2992")
metar_rwy_visibility("EBBR 040220Z VRB01KT 0150 R25L/1200N R26R/1000 R36/4000FT/D -SN")
```

---

metar\_speed            *Get wind speed*

---

**Description**

Extract a wind speed value from METAR weather report.

**Usage**

```
metar_speed(x, metric = TRUE)
```

**Arguments**

x	character vector; METAR weather report or reports.
metric	logical; the default value is TRUE and a returned wind speed is in m/s; if it's FALSE then in knots.

**Value**

a numeric vector. A wind speed in m/s or in knots.

**Examples**

```
metar_speed("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_speed("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180", metric = FALSE)
metar_speed("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025 NOSIG= NOSIG=")
metar_speed("EPKK 141730Z VRB01KT CAVOK 21/16 Q1028")
```

---

metar\_temp

*Get temperature.*

---

**Description**

Extract a temperature value from METAR weather report.

**Usage**

```
metar_temp(x)
```

**Arguments**

x character vector; a METAR weather report or reports.

**Value**

a numeric vector with temperature in degrees Celsius.

**Examples**

```
metar_temp("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_temp("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_temp("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025 NOSIG=")
metar_temp("METAR KEWR 010851Z 27010KT 10SM BKN210 04/M03 A2969 RMK SLP054
T00391033 52012")
```

---

metar_time_zone	<i>Get time zone.</i>
-----------------	-----------------------

---

**Description**

Extract a time zone of METAR weather report.

**Usage**

```
metar_time_zone(x)
```

**Arguments**

x                    character; a METAR weather report or reports.

**Value**

a character vector with time zone.

**Examples**

```
metar_time_zone("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_time_zone("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_time_zone("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
```

---

metar_visibility	<i>Get visibility information.</i>
------------------	------------------------------------

---

**Description**

Extract and parse visibility information from METAR weather report.

**Usage**

```
metar_visibility(x, metric = TRUE, numeric_values_only = FALSE)
```

**Arguments**

x                    character vector; a METAR weather report or reports.  
metric                For the default metric = TRUE returned distances are in meters. If it's FALSE,  
                      in miles.  
numeric\_values\_only   logical; if TRUE only a numeric value will be returned

**Value**

a numeric vector with visibility information, in meters or miles.

**Examples**

```
metar_visibility("EPWA 281830Z 18009KT 140V200 9999 SCT037 03/M01 Q1008 NOSIG")
metar_visibility("CYUL 281800Z 13008KT 30SM BKN240 01/M06 A3005 RMK CI5 SLP180")
metar_visibility("201711271930 METAR LEMD 271930Z 02002KT CAVOK 04/M03 Q1025")
metar_visibility("KBLV 011657Z AUTO 25015G30KT 210V290 3/8SM R32L/1000FT FG
BKN005 01/M01 A2984")
```

---

metar_windshear	<i>Get wind shear information.</i>
-----------------	------------------------------------

---

**Description**

Function extracts information about wind shear from METAR weather report.

**Usage**

```
metar_windshear(x, metric = TRUE)
```

**Arguments**

x	character vector; METAR weather report or reports.
metric	For the default metric = TRUE a returned wind speed is in m/s. If it's FALSE, in knots.

**Value**

A character vector with information about wind shear.

**Examples**

```
metar_windshear("METAR VHHH 180800Z 12009KT 060V150 FEW010 SCT045 22/18 Q1012 WS R07R")
metar_windshear("CYWG 172000Z 30015G25KT 3/4SM R36/4000FT/D M05/M08 A2992 WS RWY36")
metar_windshear("KPIT 091730Z 091818 22020KT 3SM -SHRA BKN020 WS015/30045KT",
metric = FALSE)
```

---

metar_wx_codes	<i>Get weather conditions information.</i>
----------------	--

---

**Description**

Extract and parse weather conditions information METAR WX codes.

**Usage**

```
metar_wx_codes(x)
```

**Arguments**

x	Input character vector
---	------------------------

**Value**

A character vector. with METAR WX codes.

**Examples**

```
metar_wx_codes("METAR EPWA 132100Z 29006KT 260V320 8000 SHRA SCT009 BKN025CB 18/17 Q1011")
metar_wx_codes("CYUL 101900Z 27015G25KT 15SM DRSN SCT028 BKN090 OVC110 M04/M10 A2973 RMK")
metar_wx_codes("METAR EPKK 200300Z 23014KT 9999 -SHSN SCT009CB BKN012 01/M00 Q1008")
```

---

mst	<i>Secondary airport list</i>
-----	-------------------------------

---

**Description**

A character vector containing the list of airports.

**Format**

A character vector with the length of 9814 items

**Details**

From <https://www.aviationweather.gov/> A data set is in the public domain according to <https://www.weather.gov/disclaimer>

**Author(s)**

Greg Thompson from National Weather Service NCAR/RAP, NOAA National Weather Service

**References**

<https://www.aviationweather.gov/docs/metar/stations.txt>,

---

ourairports

*Main list of airports*

---

### Description

#<sup>1</sup> A dataset containing the list of airports weather conditions codes. The variables are as follows:

### Format

A data frame with 29010 rows and 12 variables

### Details

From <https://ourairports.com/> A data set is in the public domain according to <https://ourairports.com/data/>

- id; identification number
- ident; airport ICAO code
- type; airport type
- name; airport name
- latitude\_deg; geographical latitude
- longitude\_deg; geographical longitude
- elevation\_ft; airport elevation in feet
- elevation\_m; airport elevation in meters
- iso\_country; ISO country code
- iso\_region; ISO region code
- municipality;
- iata\_code; airport IATA code

### Author(s)

David Megginson

### References

<https://ourairports.com/data/>

---

pmetar

*pmetar*

---

### Description

Processing METAR Weather Reports

# Index

## \* datasets

- metarWXcodes, 2
- mst, 17
- ourairports, 18

  

- metar\_airport, 3
- metar\_cloud\_coverage, 3
- metar\_day, 4
- metar\_decode, 4
- metar\_dew\_point, 6
- metar\_dir, 7
- metar\_get, 7
- metar\_get\_historical, 8
- metar\_gust, 9
- metar\_hour, 10
- metar\_iata\_icao, 10
- metar\_location, 11
- metar\_pressure, 12
- metar\_rwy\_visibility, 13
- metar\_speed, 13
- metar\_temp, 14
- metar\_time\_zone, 15
- metar\_visibility, 15
- metar\_windshear, 16
- metar\_wx\_codes, 17
- metarWXcodes, 2
- mst, 17

  

- ourairports, 18

  

- pmetar, 18